

# **GAMBIA CIVIL AVIATION REGULATIONS, 2018**

## **PART 11 – AERIAL WORK**

### **Regulation**

#### **CHAPTER I - GENERAL**

1. Applicability
2. Definitions
3. Abbreviations

#### **CHAPTER II - AGRICULTURAL AIRCRAFT OPERATIONS**

4. Applicability
5. Deviation Authority

#### **CHAPTER III - CERTIFICATION RULES**

6. Certificate Required
7. Application for Certificate
8. Amendment of Certificate
9. Certification Requirements
10. Duration of Certificate

#### **CHAPTER VI - OPERATING RULES**

11. General Operating Rules
12. Carrying of Certificate
13. Limitations on Private Agricultural Aircraft Operator
14. Manner of Dispensing
15. Economic Poison Dispensing
16. Personnel
17. Operations in Controlled Airspace Designated for an Airport
18. Operation Over Congested Areas - General
19. Operation over Congested Areas for Pilots and Aircraft
20. Availability of Certificate

#### **CHAPTER VII - RECORDS AND REPORTS**

21. Records for Commercial Agricultural Aircraft Operator
22. Change of Address
23. Termination of Operations

#### **CHAPTER VIII - ROTORCRAFT EXTERNAL LOADS**

24. Applicability of Rotorcraft External Loads
25. Certificate Required
26. Duration of Certificate
27. Application for Certificate Issuance or Renewal
28. Requirements for Issuance of a Rotorcraft External-Load Operator Certificate
29. Rotorcraft Requirements
30. Personnel Requirements
31. Amendment of Certificate
32. Availability, Transfer, and Surrender of Certificate

#### **CHAPTER IX - OPERATING RULES AND RELATED REQUIREMENTS**

33. Operating Rules
34. Carriage of Persons
35. Crewmember Training, Currency, and Testing Requirements

#### **CHAPTER X - AIRWORTHINESS REQUIREMENTS**

36. Flight Characteristics Requirements
37. Structures and Design
38. Operating Limitations
39. Rotorcraft-Load Combination Flight Manual
40. Markings and Placards
41. Airworthiness Certification

#### **CHAPTER XI - GLIDER TOWING**

42. Certificate or Authorisation Required
43. Aircraft Requirements
44. Experience and Training Requirements
45. Operating Rules

#### **CHAPTER XI - BANNER TOWING**

46. Certificate or Authorisation Required
47. Aircraft Requirements

- 48. Experience and Training Requirements
- 49. Operating Rules

## **CHAPTER XII - TV AND MOVIE OPERATIONS**

- 50. Applicability
- 51. Certificate or Authorisation Required
- 52. Aircraft Requirement
- 53. Experience and Training Requirements
- 54. Operating Rules and Waiver Requirements
- 55. Contents of a Motion Picture and Television Flight Operations Manual

## **CHAPTER XIII - SIGHT-SEEING FLIGHTS**

- 56. Applicability
- 57. Certificate or Authorisation Required
- 58. Experience and Training Requirements
- 59. Operating Rules

## **CHAPTER XIV - FISH SPOTTING**

- 60. Applicability
- 61. Certificate or Authorisation Required
- 62. Operating Rules
- 63. Experience and Training Requirements

## **CHAPTER XV - NEWS MEDIA AND TRAFFIC REPORTING**

- 64. Applicability
- 65. Certificate or Authorisation Required
- 66. Operating Rules
- 67. Experience and Training Requirements

## **SCHEDULE**

# **GAMBIA CIVIL AVIATION REGULATIONS, 2018**

## **PART 11 - AERIAL WORK**

### **CHAPTER I - GENERAL**

#### **1. Applicability**

- (1) This Chapter contains the requirements for those operators and operations that are considered to be aerial work in The Gambia.
- (2) All persons who conduct aerial work in The Gambia shall comply with certification requirements of this Chapter.
- (3) All persons who conduct aerial work in The Gambia shall comply with the applicable airworthiness and operational requirements of this Chapter, except where a relief is granted from those requirements or specified additional requirements.
- (4) All persons who conduct aerial work in The Gambia in a remotely piloted aircraft shall comply with the requirements for remotely piloted aircraft in Part 8 and the applicable requirements of this Chapter except where this Chapter is less prescriptive than Part 8.

#### **2. Definitions**

The definitions contained in Part 1 are applicable to this Chapter.

#### **3. Abbreviations**

In this Chapter, the following abbreviations are used -

- (a) AGL means Above Ground Level;
- (b) PIC means Pilot in Command; and
- (c) IFR means Instrument Flight Rules.

### **CHAPTER II - AGRICULTURAL AIRCRAFT OPERATIONS**

#### **4. Applicability**

- (1) This Chapter prescribes rules governing-
  - (a) agricultural aircraft operations within The Gambia; and

(b) the issue of commercial and private agricultural aircraft operator certificates for those operations.

(2) In a public emergency, a person conducting agricultural aircraft operations under this Chapter may to the extent necessary, deviate from the operating rules of this Chapter for relief and welfare activities approved by a Government agency or a local government authority.

(3) A person who, under the authority of this regulation, deviates from a rule of this Chapter shall within 10 days after the deviation, send to the Authority, a complete report of the aircraft operation involved, including a description of the operation and the reasons for it.

### **5. Deviation Authority**

(1) In a public emergency, a person conducting agricultural aircraft operations under this Part may, to the extent necessary, deviate from the operating rules of this Part for relief and welfare activities approved by the appropriate State agency.

(2) A person who, under the authority of this regulation, deviates from a rule of this Part shall, within 10 days after the deviation, send to the Authority a complete report of the aircraft operation involved, including a description of the operation and the reasons for it.

## **CHAPTER III - CERTIFICATION RULES**

### **6. Certificate Required**

(1) Except as provided in sub-regulations (3) and (4), a person shall not conduct agricultural aircraft operations without, or in violation of an agricultural aircraft operator certificate issued under this Chapter.

(2) An operator may, if it complies with this Part, conduct agricultural aircraft operations with a rotorcraft with external dispensing equipment in place without a rotorcraft external-load operator certificate.

(3) A local or national government conducting agricultural aircraft operations with public aircraft need not comply with this Part.

(4) The holder of a rotorcraft external-load operator certificated under this Part may conduct agricultural aircraft operations, involving only the dispensing of water for forest fires by rotorcraft external load means.

### **7. Application for Certificate**

An applicant for an agricultural aircraft operator certificate shall apply on a form and in a manner prescribed by the Authority.

## **9. Amendment of Certificate**

- (1) An agricultural aircraft operator certificate may be amended on-
  - (a) the Authority's own initiative, under applicable laws and regulations; or
  - (b) application by the holder of that certificate.
- (2) A certificate holder shall submit any application to amend an agricultural aircraft operator certificate on a form and in a manner prescribed by the Authority.
- (3) The applicant shall file the application at least 15 days before the date that it proposes the amendment become effective, unless the Authority approves a shorter filing period.
- (4) The Authority shall grant a request to amend a certificate if it determines that safety in air commerce and the public interest so allow.
- (5) Within 30 days after receiving a refusal to amend, the holder may petition the Authority to reconsider the refusal.

## **10. Certification Requirements**

- (1) Except as provided by this regulation, the Authority shall issue a-
  - (a) private agricultural aircraft operator certificate to an applicant who meets the requirements of this subpart for that certificate; or
  - (b) commercial agricultural aircraft operator certificate to an applicant who meets the requirements of this subpart for that certificate.
- (2) Notwithstanding sub-regulation (1) an applicant who applies for an agricultural aircraft operator certificate containing a prohibition against the dispensing of economic poisons is not required to demonstrate knowledge specific to economic poisons.
- (3) In respect of Pilots a-
  - (a) private operator-pilot applicant shall hold a current Gambian private, commercial, or airline transport pilot licence and be properly rated for the aircraft to be used; and
  - (b) commercial operator-pilot applicant shall hold or have available, the services of at least one pilot who holds a current commercial or airline transport pilot licence issued by the Authority and who is properly rated for the aircraft to be used.

(4) The applicant shall have at least one certified and airworthy aircraft, equipped for agricultural operation.

(5) The applicant shall show that it has satisfactory knowledge and skill of the following agricultural aircraft operations-

(a) Knowledge-

- (i) steps to be taken before starting operations, including a survey of the area to be worked,
- (ii) safe handling of economic poisons and the proper disposal of used containers for those poisons,
- (iii) the general effects of economic poisons and agricultural chemicals on plants, animals, and persons, and the precautions to be observed in using poisons and chemicals,
- (iv) primary symptoms of poisoning of persons from economic poisons, the appropriate emergency measures to be taken, and the location of poison control centres,
- (v) performance capabilities and operating limitations of the aircraft to be used, and
- (vi) Safe flight and application procedures;
- (vii) Skill in the following manoeuvres, demonstrated at the aircraft's maximum certified take-off weight, or the maximum weight established for the special purpose load, whichever is greater-
  - (A) short-field and soft-field takeoffs (aeroplanes and gyroplanes only),
  - (B) approaches to the working area,
  - (C) flare-outs,
  - (D) swath runs,
  - (E) pullups and turnarounds,
  - (F) rapid deceleration (quick stops) in helicopters only.

## **11. Duration of Certificate**

An agricultural aircraft operator certificate is effective until the expiry date stipulated on the certificate or it is surrendered, suspended, or revoked.

## **CHAPTER VI - OPERATING RULES**

### **12. General Operating Rules**

(1) Except as provided in sub-regulation (3), this regulation prescribes rules that apply to persons and aircraft used in agricultural aircraft operations conducted under this Part.

(2) The holder of an agricultural aircraft operator certificate may deviate from the provisions of Part 9 without a certificate of waiver when conducting aerial work operations related to agriculture, horticulture, or forest preservation in accordance with the operating rules of this regulation.

(3) The operating rules of this Part apply to Rotorcraft External load certificate holders conducting agricultural aircraft operations involving only the dispensing of water on forest fires by rotorcraft external-load means.

### **13. Carrying of Certificate**

(1) A person shall not operate an aircraft unless a copy of the agricultural aircraft operator certificate is carried on that aircraft.

(2) The registration and airworthiness certificates issued for the aircraft need not be carried in the aircraft, provided that those certificates not carried in the aircraft shall be kept available for inspection at the base from which the dispensing operation is conducted.

### **14. Limitations on Private Agricultural Aircraft Operator**

A person shall not conduct an agricultural aircraft operation under the authority of a private agricultural aircraft operator certificate-

(a) for compensation or hire;

(b) over a congested area; or

(c) over any property unless he or she is the owner or lessee of the property, or has ownership or other property interest in the crop located on that property.

### **15. Manner of Dispensing**

A person shall not dispense, or cause to be dispensed, any material or substance in a manner that creates a hazard to persons or property on the surface.

### **16. Economic Poison Dispensing**

(1) Except as provided in sub-regulation (2), a person shall not dispense or cause to be dispensed, any economic poison that is registered with The Gambia-

(a) for a use other than that for which it is registered;

(b) contrary to any safety instructions or use limitations on its label; or

- (c) in violation of any law or regulation in The Gambia.
- (2) This regulation does not apply to any person dispensing economic poisons for experimental purposes under-
  - (a) the supervision of a Gambian agency authorised by law to conduct research in the field of economic poisons; or
  - (b) a permit from The Gambia.

#### **17. Personnel**

- (1) The holder of an agricultural aircraft operator certificate shall ensure that each person used in the holder's agricultural aircraft operation is informed of that person's duties and responsibilities.
- (2) A person shall not supervise an agricultural aircraft operation unless he or she has met the knowledge and skill requirements of this subpart.
- (3) A person shall not act as pilot in command of an aircraft operated under this Part unless that pilot -
  - (a) holds a pilot licence and rating prescribed by this Part as appropriate to the type of operation conducted, or
  - (b) has demonstrated to the holder of the Agricultural Aircraft Operator Certificate conducting the operation, or to a supervisor designated by that certificate holder, that he or she possesses the knowledge and skill requirements of this Chapter.

#### **18. Operations in Controlled Airspace Designated for an Airport**

- (1) Except for flights to and from a dispensing area, a person shall not operate an aircraft within the lateral boundaries of the surface area of controlled airspace designated for an airport unless authorisation for that operation has been obtained from the ATC facility having jurisdiction over that area.
- (2) A person shall not operate an aircraft in weather conditions below VFR minimums within the lateral boundaries of a controlled airspace area that extends upward from the surface unless authorisation for that operation has been obtained from the ATC facility having jurisdiction over that area.
- (3) A certificate holder may operate an aircraft under special VFR weather minimums without meeting the requirements prescribed in Part 8 of these Regulations.

## 19. Operation Over Congested Areas - General

- (1) A certificate holder may operate or cause the operation of an aircraft over a congested area at altitudes required if the operation is conducted with -
  - (a) the maximum safety to persons and property on the surface, consistent with the operation; and
  - (b) a plan for each operation, submitted and have approved by the Authority, which includes-
    - (i) obstructions to flight,
    - (ii) emergency landing capabilities of the aircraft to be used, and
    - (iii) any necessary co-ordination with air traffic control.
- (2) Each certificate holder shall ensure that all single engine aircraft while in a congested area operate-
  - (a) except for helicopters, not loaded during take offs and turnarounds;
  - (b) not below the altitudes prescribed in Part 8 except during the actual dispensing operation, including the approaches and departures necessary for that operation; and
  - (c) during the actual dispensing operation, including the approaches and departures for that operation, not below the altitudes prescribed in Part 8 unless it is in an area and at such an altitude that the aircraft can make an emergency landing without endangering persons or property on the surface.
- (3) Each certificate holder shall ensure that all multiengine aircraft while in a congested area operate-
  - (a) during takeoff, under conditions that will allow the aeroplane to be brought to a safe stop within the effective length of the runway from any point on takeoff up to the time of attaining, with all engines operating at normal takeoff power, 105 percent of the minimum control speed with the critical engine inoperative in the takeoff configuration or 115 percent of the power-off stall speed in the takeoff configuration, whichever is greater;
  - (b) at a weight greater than the weight that, with the critical engine inoperative, would permit a rate of climb of at least 50 feet per minute at an altitude of at least 1,000 feet above the elevation of the highest ground or obstruction within the area to be worked or at an altitude of 5,000 feet, whichever is higher. Assume that the propeller of the

inoperative engine is in the minimum drag position; that the wing flaps and landing gear are in the most favourable positions; and that the remaining engine or engines are operating at the maximum continuous power available; and

- (c) below the altitudes prescribed in Part 8 except during the actual dispensing operation, including the approaches, departures, and turnarounds necessary for that operation.

(4) Each certificate holder shall issue notice of the intended operation to the public as may be specified by the Authority.

## **20. Operation over Congested Areas for Pilots and Aircraft**

(1) A pilot in command must have at least-

- (a) 25 hours of pilot-in-command flight time in the make and basic model of the aircraft, including at least 10 hours within the preceding 12 calendar months; and
- (b) 100 hours of flight experience as pilot in command in dispensing agricultural materials or chemicals.

(2) Except for helicopters, an aircraft shall be capable of jettisoning at least one-half of the aircraft's maximum authorised load of agricultural material within 45 seconds.

(3) If the aircraft is equipped to release the tank or hopper as a unit, there shall be a means to prevent inadvertent release by the pilot or other crewmember.

## **21. Availability of Certificate**

A holder of an agricultural aircraft operator certificate shall keep that certificate at its home base and shall present it for inspection on the request of the Authority or any government law enforcement officer.

## **CHAPTER VII - RECORDS AND REPORTS**

### **22. Records for Commercial Agricultural Aircraft Operator**

(1) A holder of a commercial agricultural aircraft operator certificate shall maintain and keep current, at the home base designated in its application, the following records-

- (a) the name and address of each person for whom agricultural aircraft services were provided;

- (b) the date of the service;
- (c) the name and quantity of the material dispensed for each operation conducted; and
- (d) the name, address, and licence number of each pilot used in agricultural aircraft operations and the date that pilot met the knowledge and skill requirements of this subpart.

(2) The records required by this regulation shall be kept for at least 12 months.

### **23. Change of Address**

A holder of an agricultural aircraft operator certificate shall notify the Authority in writing in advance of any change in the address of its home base of operations.

### **24. Termination of Operations**

Whenever a certificate holder ceases operations under this Part, it shall surrender that certificate to the Authority.

## **CHAPTER VIII - ROTORCRAFT EXTERNAL LOADS**

### **25. Applicability of Rotorcraft External Loads**

(1) This Part prescribes -

- (a) airworthiness certification rules for rotorcraft used in external-load operations; and
- (b) operating and certification rules governing the conduct of rotorcraft external-load operations in The Gambia.

(2) The certification rules of this Chapter do not apply to -

- (a) rotorcraft manufacturers when developing external-load attaching means;
- (b) operations conducted by a person demonstrating compliance for the issuance of a certificate or authorisation under this Chapter;
- (c) training flights conducted in preparation for the demonstration of compliance with this Chapter; or
- (d) a local or national government conducting operations with public aircraft.

(3) For the purpose of this Chapter, a person other than a crewmember or a person who is essential and directly connected with the external-load operation may be carried only in approved Class D rotorcraft-load combinations.

## **26. Certificate Required**

A person subject to this Chapter shall not conduct rotorcraft external-load operations without, or in violation of the terms of, a Rotorcraft External-Load Operator Certificate or equivalent authorisation issued by the Authority.

## **27. Duration of Certificate**

A Rotorcraft External-Load Operator Certificate is effective until the expiry date stipulated on the certificate or it is surrendered, suspended, or revoked.

## **28. Application for Certificate Issuance or Renewal**

Application for an original certificate or renewal of a certificate issued under this Chapter is made on a form, and in a manner, prescribed by the Authority.

## **29. Requirements for Issuance of a Rotorcraft External-Load Operator Certificate**

(1) When an applicant shows that it complies with this Part, the Authority shall issue a Rotorcraft External-Load Operator Certificate to it.

(2) The Authority shall issue authorisation to operate specified rotorcraft with those classes of rotorcraft-load combinations for which the applicant or certificate holder qualifies under the applicable provisions of this subpart.

## **30. Rotorcraft Requirements**

An applicant must have the exclusive use of at least one rotorcraft that -

- (a) was type certified under, and meets the requirements of, the several parts of these regulations which prescribe requirements for rotorcraft external-load operations;
- (b) complies with the certification provisions in this subpart that apply to the rotorcraft-load combinations for which authorisation is requested; and
- (c) has a valid standard or restricted category airworthiness certificate.

## **31. Personnel Requirements**

(1) An applicant shall hold or have available, the services of at least one person who holds a current commercial or airline transport pilot licence issued by the Authority with a rating appropriate for the rotorcraft to be used.

(2) An applicant shall designate one pilot, who may be the applicant, as chief pilot for rotorcraft external-load operations.

(3) An applicant may designate qualified pilots as assistant chief pilots to perform the functions of the chief pilot when the chief pilot is not readily available.

(4) The chief pilot and assistant chief pilots must be acceptable to the Authority and each shall hold a current Commercial or Airline Transport Pilot Licence, with a rating appropriate for the rotorcraft to be used.

(5) The holder of a Rotorcraft External-Load Operator Certificate shall report any change in designation of chief pilot or assistant chief pilot immediately to the Authority.

(6) A newly designated chief pilot shall comply with the knowledge and skill requirements of this subpart within 30 days or the operator may not conduct further operations under the Rotorcraft External-Load Operator Certificate, unless otherwise authorised by the Authority.

### **32. Amendment of Certificate**

(1) The holder of a Rotorcraft External-Load Certificate may apply to the Authority for an amendment of its certificate, to add or delete a rotorcraft-load combination authorisation.

(2) The holder of a rotorcraft external-load certificate may apply for an amendment to add or delete a rotorcraft authorisation by submitting to the Authority a new list of rotorcraft, by registration number, with the classes of rotorcraft-load combinations for which authorisation is requested.

### **33. Availability, Transfer, and Surrender of Certificate**

(1) A person conducting a rotorcraft external-load operation shall carry a facsimile of the Rotorcraft External-Load Operator Certificate in each rotorcraft used in the operation.

(2) A certificate holder shall return its certificate to the Authority if the-

(a) Authority suspends or revokes its Rotorcraft External-Load Operator Certificate; or

(b) certificate holder discontinues operations and does not resume operations within twelve calendar months.

## CHAPTER IX - OPERATING RULES AND RELATED REQUIREMENTS

### 34. Operating Rules

(1) A person shall not conduct a rotorcraft external load operation without, or contrary to, the Rotorcraft or Load Combination Flight Manual prescribed these Regulations.

(2) A person shall not conduct a rotorcraft external load operation unless the rotorcraft -

(a) complies with these Regulations; and

(b) and rotorcraft or load combination is authorised under the Rotorcraft External Load Operator Certificate.

(3) Before a person may operate a rotorcraft with an external load configuration that differs substantially from any that person has previously carried with that type of rotorcraft (whether or not the rotorcraft or load combination is of the same class), that person shall conduct, in a manner that will not endanger persons or property on the surface, such of the following flight operational checks as the Authority determines are appropriate to the rotorcraft or load combination-

(a) a determination that the weight of the rotorcraft or load combination and the location of its centre of gravity are within approved limits, that the external load is securely fastened, and that the external load does not interfere with devices provided for its emergency release;

(b) make an initial liftoff and verify that controllability is satisfactory;

(c) while hovering, verify that directional control is adequate;

(d) accelerate into forward flight to verify that no attitude (whether of the rotorcraft or of the external load) is encountered in which the rotorcraft is uncontrollable or which is otherwise hazardous;

(e) in forward flight, check for hazardous oscillations of the external load, but if the external load is not visible to the pilot, other crewmembers or ground personnel may make this check and signal the pilot; and

(f) increase the forward airspeed and determine an operational airspeed at which no hazardous oscillation or hazardous aerodynamic turbulence is encountered.

(4) Notwithstanding the provisions of Part 8 of these Regulations, the holder of a Rotorcraft External Load Operator Certificate may conduct rotorcraft external load operations over congested areas if those operations are conducted

without hazard to persons or property on the surface and comply with the following -

- (a) the operator shall develop a plan for each complete operation and obtain approval for the operation from the Authority; and
- (b) each flight shall be conducted at an altitude, and on a route, that will allow a jettisonable external load to be released, and the rotorcraft landed, in an emergency without hazard to persons or property on the surface.

(5) Notwithstanding the provisions of Part 8, and except as provided in these Regulations, the holder of a Rotorcraft External Load Operator Certificate may conduct external load operations, including approaches, departures, and load positioning manoeuvres necessary for the operation, below 500 feet above the surface and closer than 500 feet to persons, vessels, vehicles, and structures, if the operations are conducted without creating a hazard to persons or property on the surface.

(6) A person shall not conduct rotorcraft external load operations under IFR unless specifically approved by the Authority.

### **35. Carriage of Persons**

(1) An AOC holder shall not allow a person to be carried during rotorcraft external load operations unless that person -

- (a) is a flight crewmember;
- (b) is a flight crewmember trainee;
- (c) performs an essential function in connection with the external load operation; or
- (d) is necessary to accomplish the work activity directly associated with that operation.

(2) The PIC shall ensure that all persons are briefed before takeoff on all pertinent procedures to be followed (including normal, abnormal, and emergency procedures) and equipment to be used during the external load operation.

### **36. Crewmember Training, Currency, and Testing Requirements**

(1) A certificate holder shall not use, and a person shall not serve as a pilot in rotorcraft external load operations unless that person-

- (a) has successfully demonstrated to the Authority the knowledge and skill with respect to the rotorcraft or load combination; and

- (b) has in his or her personal possession, a letter of competency or an appropriate logbook entry indicating compliance with this regulation.
- (2) An AOC holder shall not use and a person shall not serve as a crewmember or other operations personnel in Class D operations unless, within the preceding 12 calendar months, that person has successfully completed either an approved initial or a recurrent training programme.
- (3) Notwithstanding the provisions of sub-regulation (2), a person who has performed a rotorcraft external load operation of the same class and in an aircraft of the same type within the past 12 calendar months need not undergo recurrent training.

## **CHAPTER X - AIRWORTHINESS REQUIREMENTS**

### **37. Flight Characteristics Requirements**

- (1) An applicant must demonstrate to the Authority by performing the operational flight checks set out in this regulation, that the rotorcraft-load combination has satisfactory flight characteristics, unless these operational flight checks have been demonstrated previously and the rotorcraft-load combination flight characteristics were satisfactory.
- (2) For the purposes of a demonstration under sub-regulation (1) of this regulation, the external-load weight (including the external-load attaching means) is the maximum weight for which authorisation is requested.
- (3) An operational flight check for class A rotorcraft-load combinations shall consist of at least the following manoeuvres -
  - (a) take off and landing;
  - (b) demonstration of adequate directional control while hovering;
  - (c) acceleration from a hover;
  - (d) horizontal flight at airspeeds up to the maximum airspeed for which authorisation is requested.
- (4) An operational flight check for class B and D rotorcraft-load combinations shall consist of at least the following manoeuvres -
  - (a) pickup of the external load;
  - (b) demonstration of adequate directional control while hovering;

- (c) acceleration from a hover;
  - (d) horizontal flight at airspeeds up to the maximum airspeed for which authorisation is requested;
  - (e) demonstrating appropriate lifting device operation; and
  - (f) manoeuvring of the external load into release position and its release, under probable flight operation conditions, by means of each of the quick-release controls installed on the rotorcraft.
- (5) For Class C rotorcraft-load combinations used in wire-stringing, cable-laying, or similar operations, the operational flight check must consist of the manoeuvres, as applicable, prescribed in sub-regulation (3).

### **38. Structures and Design**

- (1) An external-load attaching means shall be approved by the Authority.
- (2) A quick release device means shall be approved by the Authority.
- (3) In respect of weight and centre of gravity the -
  - (a) total weight of the rotorcraft-load combination must not exceed the total weight approved for the rotorcraft during its type certification; and
  - (b) location of the centre of gravity must, for all loading conditions, be within the range established for the rotorcraft during its type certification.
- (4) For Class C rotorcraft-load combinations, the magnitude and direction of the loading force must be established at those values for which the effective location of the centre of gravity remains within its established range.

### **39. Operating Limitations**

- (1) In addition to the operating limitations set forth in the approved Rotorcraft Flight Manual, and to any other limitations the Authority may prescribe, the operator shall establish at least the following limitations and set them forth in the Rotorcraft-Load Combination Flight Manual for rotorcraft-load combination operations the rotorcraft-load combination may-
  - (a) be operated only within the weight and centre of gravity limitations established in accordance with this Part;
  - (b) not be operated with an external load weight exceeding that used in showing compliance with this Part;

- (c) not be operated at airspeeds greater than those established in accordance with this Part.
- (2) A person shall not conduct an external-load operation under this Chapter with a rotorcraft type certified in the restricted category over a densely populated area, in a congested airway, or near a busy airport where passenger transport operations are conducted.
- (3) The rotorcraft-load combination of Class D may be conducted only in accordance with the following-
  - (a) the rotorcraft to be used must have been type certified under transport Category A for the operating weight and provide hover capability with one engine inoperative at that operating weight and altitude;
  - (b) the rotorcraft must be equipped to allow direct radio intercommunication among required crewmembers;
  - (c) the personnel lifting device must be approved by the Authority;
  - (d) the lifting device must have an emergency release requiring two distinct actions.

#### **40. Rotorcraft-Load Combination Flight Manual**

- (1) An applicant must prepare a Rotorcraft-Load Combination Flight Manual and submit it for approval by the Authority.
- (2) The limiting height-speed envelope data need not be listed as operating limitations.
- (3) The manual shall set forth-
  - (a) operating limitations, procedures (normal and emergency), performance, and other information established under this Part;
  - (b) the class of rotorcraft-load combinations for which the airworthiness of the rotorcraft has been demonstrated in accordance with this Part; and
  - (c) in the information section of the Rotorcraft-Load Combination Flight Manual-
    - (i) information on any peculiarities discovered when operating particular rotorcraft-load combinations,
    - (ii) precautionary advice regarding static electricity discharges for Class B, Class C, and Class D rotorcraft-load combinations, or
    - (iii) any other information essential for safe operation with external loads.

#### **41. Markings and Placards**

The following markings and placards must be displayed conspicuously and must be such that they cannot be easily erased, disfigured, or obscured -

- (a) a placard (displayed in the cockpit or cabin) stating the class of rotorcraft-load combination and the occupancy limitation for which the rotorcraft has been approved; and
- (b) a placard, marking, or instruction (displayed next to the external-load attaching means) stating the maximum external load approved.

#### **42. Airworthiness Certification**

A Rotorcraft External-Load Operator Certificate is a current and valid airworthiness certificate for each rotorcraft type and listed by registration number on a list attached to the certificate, when the rotorcraft is being used in operations conducted under this Part.

### **CHAPTER XI - GLIDER TOWING**

#### **43. Certificate or Authorisation Required**

- (1) The Authority shall require each person conducting glider towing operations covered by this Part to hold a certificate or equivalent authorisation.
- (2) The Authority shall issue a certificate or authorisation to each applicant who qualifies for it under the provisions of this Part.

#### **44. Aircraft Requirements**

- (1) A person shall not operate an aircraft that is towing a glider unless -
  - (a) the aircraft is equipped with a tow hook and release control system that meet the applicable standards of airworthiness; and
  - (b) the towline used has a breaking strength not less than 80 percent of the maximum certificated operating weight of the glider and not more than twice the maximum certificated operating weight.
- (2) Notwithstanding sub-regulation (1), the towline used may have a breaking strength more than twice the maximum certificated operating weight of the glider if-
  - (a) a safety link is installed at the point of attachment of the towline to the glider with a breaking strength not less than 80 percent of the maximum

certificated operating weight of the glider and not greater than twice this operating weight; or

- (b) a safety link is installed at the point of attachment of the towline to the towing aircraft with a breaking strength greater, but not more than 25 percent greater, than that of the safety link at the towed glider end of the towline and not greater than twice the maximum certificated operating weight of the glider.

#### **45. Experience and Training Requirements**

(1) A person shall not act as a tow pilot for a glider unless that person has-

- (a) at least a private pilot licence with a category rating for the tow aircraft;
- (b) logged at least 100 hours of pilot in command time in same aircraft category, class, and type, if applicable, as the tow aircraft;
- (c) received training in and instructor endorsement for-
  - (i) the techniques and procedures essential to the safe towing of gliders, including airspeed limitations,
  - (ii) emergency procedures,
  - (iii) signals used, and
  - (iv) maximum angles of bank;
  - (v) except as provided in sub-regulation (2), has completed at least three flights as the sole manipulator of the controls of an aircraft towing a glider or simulating glider-towing flight procedures while accompanied by a pilot who meets the requirements of this section,
  - (vi) except as provided in sub-regulation (2), has received a logbook endorsement from the pilot, described in paragraph (d), certifying that the person has accomplished at least 3 flights in an aircraft while towing a glider; and
- (d) within the preceding 12 months has-
  - (i) made at least three actual glider tows while accompanied by a qualified pilot who meets the requirements of this regulation, or

- (ii) made at least three flights as pilot in command of a glider towed by an aircraft.
- (2) The pilot described in sub-regulation (1)(d), who endorses the logbook of a person seeking towing privileges must have -
  - (a) met the requirements of this regulation prior to endorsing the logbook of the person seeking glider-towing privileges; and
  - (b) logged at least 10 flights as pilot in command of an aircraft while towing a glider.
- (3) If the pilot described in sub-regulation (1)(d) holds only a private pilot licence, then that pilot must have-
  - (a) logged at least 100 hours of pilot-in-command time in airplanes, or 200 hours of pilot in command time in a combination of powered and other than powered aircraft; and
  - (b) performed and logged at least three flights within the 12 calendar months preceding the month that pilot accompanies or endorses the logbook of a person seeking towing privileges –
    - (i) in an aircraft while towing a glider vehicle accompanied by another pilot who meets the requirements of this regulation, or
    - (ii) as pilot in command of a glider being towed by an aircraft.

#### **46. Operating Rules**

- (1) A pilot shall not conduct any towing operation in controlled airspace until the pilot has received the appropriate clearance from the air traffic control service.
- (2) A pilot shall not conduct any towing operation in uncontrolled airspace until the pilot has notified the appropriate Authority for such activity to be entered into the NOTAM service of The Gambia.
- (3) A pilot shall not engage in towing operations, either as the pilot of the towing aircraft or as the pilot of the towed glider, until all pilots have agreed upon a general course of action, including takeoff and release signals, airspeeds and emergency procedures for each pilot.
- (4) A pilot of a civil aircraft shall not intentionally release a towline, after release of a glider, in a manner that endangers the life or property of another.

## **CHAPTER XI - BANNER TOWING**

### **47. Certificate or Authorisation Required**

- (1) The Authority shall require each person conducting operations covered by this Part to hold a certificate or equivalent authorisation.
- (2) The Authority shall issue a certificate or authorisation to each applicant who qualifies for it under the provisions of this Part.
- (3) A helicopter operating under the provision of this Part may tow a banner using an external-load attaching means without a certificate only if the operator has at least a Class B authorisation on the operating certificate.

### **48. Aircraft Requirements**

- (1) A person shall not operate an aircraft that is towing a banner unless the aircraft is equipped with a tow hook and release control system that meet the applicable standards of airworthiness.
- (2) A person shall not operate a helicopter that is towing a banner unless the helicopter has a means to prevent the banner from becoming entangled in the helicopter's tail rotor during all phases of flight, including auto-rotations.

### **49. Experience and Training Requirements**

- (1) For non-revenue flights, the pilot of the tow aircraft shall hold at least a valid private pilot licence and have a minimum of 200 hours PIC time.
- (2) When banner tow operations are conducted for compensation or hire, the pilot shall have at least a commercial pilot licence (instrument rating not required) and at least a valid second class medical certificate.
- (3) All pilots engaged in banner towing operations shall demonstrate competence to the Authority by performing at least one pickup and drop of the maximum number of letters (panels) to be used by the certificate holder.
- (4) This demonstration should be observed from the ground to allow the inspector to evaluate the competence of any essential ground personnel as well as the flight operation.

### **50. Operating Rules**

- (1) A banner tow operation shall be conducted only-
  - (a) in VFR weather conditions; and
  - (b) between the hours of official sunrise and official sunset.

- (2) A person shall not conduct banner towing operations-
- (a) over congested areas or open air assemblies of persons lower than 1,000 feet; and
  - (b) elsewhere lower than the minimum safe altitude requirements of Part 8.
- (3) The certificate holder shall obtain the airport manager's approval to conduct banner tow operations.
- (4) If banner towing operations take place at an airport with a control tower, the certificate holder shall inform that control tower of the time of the banner tow operation.
- (5) The certificate holder shall notify the appropriate airport officials in advance when banner tow operations will be in close proximity to an uncontrolled airport.
- (6) No person, other than essential crewmembers shall be carried when conducting banner tow operations.
- (7) When banner tow operations are conducted around congested areas, the pilot shall exercise due care so that, in the event of emergency release of the banner or towrope, it will not cause undue hazard to persons or property on the surface.
- (8) A pilot shall drop the towrope in a predesignated area at least 500 feet from persons, buildings, parked automobiles, and aircraft.
- (9) Each pilot conducting banner towing operations shall carry onboard the aircraft a current copy of the following certificate of Waiver or Authorisation allowing banner towing operations.

## **CHAPTER XII - TV AND MOVIE OPERATIONS**

### **51. Applicability**

- (1) This Part applies to those operations involving motion picture and television filming, appearance in flight in movies, and airborne direction or production of such filming when those operations are conducted as part of a business enterprise or for compensation or hire.

(2) For purposes of this Part, “movie” includes film, videos, and live broadcast in any format, and the preparation and rehearsal for those operations.

## **52. Certificate or Authorisation Required**

(1) The Authority shall require each person conducting operations covered by this Part to hold a certificate or equivalent authorisation.

(2) The Authority will issue a certificate or authorisation to each applicant who qualifies for it under the provisions of this Part.

(3) For purposes of this regulation, “movie” includes film, videos, and live broadcast in any format, and the preparation and rehearsal for those operations.

## **53. Aircraft Requirement**

In order to be used in motion picture and television filming operations, an aircraft in the experimental category shall have an airworthiness certificate issued for the purpose of exhibition.

## **54. Experience and Training Requirements**

A pilot shall not conduct television and movie operations unless he or she has-

- (a) a commercial licence with ratings appropriate to the category, class and type of aircraft to be used under the terms of the authorization;
- (b) at least 500 hours as PIC and at least 20 hours as PIC in the aircraft type;
- (c) a minimum of 100 hours in the category and class of aircraft to be used;
- (d) a minimum of 5 hours in the make and model aircraft to be used under the authorization; and
- (e) if the pilot intends to perform acrobatics below 1,500 AGL, the pilot must hold a Statement of Acrobatic Competency for the operations to be performed.

## **55. Operating Rules and Waiver Requirements**

(1) An operator shall conduct operations so as not to endanger persons or property on the surface nor aircraft in flight.

(2) An operator shall obtain a waiver from the Authority if filming sequences require an aircraft to be flown-

- (a) in acrobatic flight below 1,500 AGL;
  - (b) over a congested area;
  - (c) in controlled airspace; or
  - (d) in other instances where a departure from the requirements in Part 8 is needed.
- (3) The holder of the authorisation shall provide a schedule of events that lists the-
- (a) identification of the aircraft; and
  - (b) performers in the sequence of their appearance.
- (4) Any manoeuvres added or time changes to the schedule of events shall be approved by the Authority.
- (5) The authorisation holder shall develop, have approved by the Authority, and adhere to a Motion Picture and Television Flight Operations Manual.
- (6) When conducting any filming operation requiring an authorisation, the certificate holder shall ensure that all reasonable efforts are made to confine spectators to designated areas. If reasonable efforts have been taken and unauthorised persons or vehicles enter the airspace where manoeuvres are being performed during the filming production event, efforts must be made to remove them.

## **56. Contents of a Motion Picture and Television Flight Operations Manual**

A Motion Picture and Television Flight Operations Manual shall contain at least the following-

- (a) company organisation-
  - (i) business name, address, and telephone number of applicant,
  - (ii) list of pilots to be used during the filming, including their pilot licence numbers, grade, and class and date of medical, or
  - (iii) list of aircraft by make and model,
  - (iv) procedures for revising the manual to ensure that all manuals are kept current,
  - (v) procedures to ensure that no persons, except those persons consenting to be involved and necessary for the filming

production, are allowed within 500 feet of the filming production area,

(vi) the area that will be used during the term of the authorisation;

(b) procedures for the submission, within three days of scheduled filming, a written plan of activities to the Authority containing at least the following-

(i) dates and times for all flights,

(ii) name and phone number of person responsible for the filming production event,

(iii) make and model of aircraft to be used and type of airworthiness certificate, including category,

(iv) name of pilots involved in the filming production event,

(v) a statement that permission has been obtained from property owners or local officials to conduct the filming production event,

(vi) signature of certificate holder or a designated representative, or

(vii) a general outline, or summary, of the production schedule, to include maps or diagrams of the specific filming location, if necessary,

(viii) requirements and procedures that the certificate holder will use to obtain permission from property owners or local officials including police and fire departments as appropriate for the conduct of all filming operations when using the certificate or authorisation;

(ix) method of security that will be used to exclude all persons not directly involved with the operation from the location,

(x) procedures to brief personnel of the risks involved, emergency procedures, and safeguards to be followed during the filming production event;

(xi) procedures to ensure that required inspections will be conducted,

(xii) procedures to provide communications capability with all participants during the actual operation and filming, and

(xiii) procedures for notification and reporting of accidents.

## **CHAPTER XIII - SIGHT-SEEING FLIGHTS**

### **57. Applicability**

This Part applies to those operations involving the carriage of persons for viewing natural formations, manmade objects or wildlife viewing on the ground when-

- (a) those operations are conducted as part of a business enterprise or for compensation or hire;
- (b) the flight is unquestionably advertised as “sight-seeing”;
- (c) the flight returns to the airport of departure without having landed at any other airport;
- (d) the flight is conducted within 25 statute mile radius of the departure airport; and
- (e) the certificated passenger capacity of the aircraft does not exceed 9 passengers.

### **58. Certificate or Authorisation Required**

(1) The Authority shall require each person conducting operations covered by this Part to hold a certificate or equivalent authorisation.

(2) An operator under this Part shall hold an operating certificate issued under the provisions of this Part.

### **59. Experience and Training Requirements**

A pilot shall not conduct sightseeing operations unless he or she has-

- (a) at least a commercial licence with ratings appropriate to the category, class and type of aircraft to be used under the terms of the waiver;
- (b) at least 500 hours as PIC and at least 20 hours as PIC in the aircraft type;
- (c) a minimum of 100 hours in the category and class of aircraft to be used; and

- (d) a minimum of 5 hours in the make and model aircraft to be used under the authorisation.

## **60. Operating Rules**

- (1) An operator shall conduct operations so as not to endanger persons or property on the surface nor aircraft in flight.
- (2) All sightseeing operations shall be conducted only-
  - (a) in VFR weather conditions; and
  - (b) between the hours of official sunrise and official sunset.
- (3) A person shall not conduct sightseeing operations-
  - (a) over congested areas or open air assemblies of persons lower than 1,000 feet; and
  - (b) elsewhere lower than the minimum safe altitude requirements of Part 8.
- (4) The requirements of Part 8 apply to sightseeing operations described by this Part.

## **CHAPTER XIV - FISH SPOTTING**

### **61. Applicability**

This Part applies to those operations involving location, tracking, and reporting on the location of fish and fish schools, when those operations are conducted as part of a business enterprise or for compensation or hire.

### **62. Certificate or Authorisation Required**

- (1) The Authority shall require each person conducting operations covered by this Part to hold a certificate or equivalent authorisation.
- (2) The Authority shall issue a certificate or authorisation to each applicant who qualifies for it under the provisions of this subpart.

### **63. Operating Rules**

- (1) An operator shall conduct operations so as not to endanger persons or property on the surface nor aircraft in flight.

(2) Minimum cloud clearance requirements and minimum altitude requirements of Part 8 do not apply to those persons to whom the Authority has specifically approved different minimums as a part of an authorisation under this Part.

#### **64. Experience and Training Requirements**

A pilot shall not conduct fish spotting operations unless he or she has-

- (a) at least a commercial licence with ratings appropriate to the category and class aircraft to be used under the terms of the waiver;
- (b) at least 500 hours as PIC; and
- (c) a minimum of 100 hours in the category and class of aircraft to be used.

### **CHAPTER XV - NEWS MEDIA AND TRAFFIC REPORTING**

#### **65. Applicability**

This Part applies to those operations involving the observation of, and reporting on, news media events or vehicular traffic conditions on the highways and streets when conducted by aircraft or airmen, or both, not designated as solely public use.

#### **66. Certificate or Authorisation Required**

- (1) The Authority shall require each person conducting operations covered by this Part to hold a certificate or equivalent authorisation.
- (2) The Authority shall issue a certificate or authorisation to each applicant who qualifies for it under the provisions of this Part.

#### **67. Operating Rules**

- (1) Each operator shall conduct operations so as not to endanger persons or property on the surface nor aircraft in flight.
- (2) Minimum cloud clearance requirements and minimum altitude requirements of Part 8 do not apply to those persons to whom the Authority has specifically approved different minimums as a part of an authorisation under this subpart.

#### **68. Experience and Training Requirements**

A pilot shall not conduct news media or traffic reporting operations unless he or she has-

- (a) at least a commercial licence with ratings appropriate to the category, class and type aircraft to be used under the terms of the waiver;
- (b) at least 500 hours as PIC and at least 20 hours as PIC in the aircraft type;
- (c) a minimum of 100 hours in the category and class of aircraft to be used; and
- (d) a minimum of 5 hours in the make and model aircraft to be used under the authorisation.

Dated this *16* ..... day of *July* ..... 2018



.....  
**ABDOULIE EBRIMA JAMMEH**  
**DIRECTOR GENERAL**  
**GAMBIA CIVIL AVIATION AUTHORITY**